

Parts Available for Online Sales (as of April 23, 2012)

Please place your order by contacting our Customer Support at 800-548-9001 or CustomerSupport.LSD@hitachi-hita.com. For parts not listed here, please inquire with our Customer Support./a

| Part Number | Short Description | List Price | Instrument Model | Product Type | Long Description |
|-------------|---------------------------------|------------|--|--------------|--|
| 121-1200 | Printer Thermal Paper | \$8.00 | U-2010, U-2000 | Consumables | Printer Thermal Paper for U-2010, U-2000 |
| 121-2051 | Pump Tubing (24 Pcs/St) | \$110.00 | U-1900, U-2900, U-2910, U-3900, U-3900H, U-4100L, F-7000 | Consumables | Replacement Standard Peristaltic Pump Tubing 24 pcs. For models U-1900, U-2900, U-2910, U-3900, U-3900H, U-4100L, F-7000 |
| 122-2300 | Deuterium Lamp U-1800/2800/2810 | \$460.00 | U-1800,U-2800,U-2810 | Consumables | UV Lamp for use with U-1800, U-2800, and U-2810 only. Projected service life 350hrs. (Can be replaced by lamp p/n 2J1-1500.) Guaranteed lifetime 6 months after delivery. |
| 122-2301 | Halogen Lamp | \$90.00 | U-1800,U-2800,U-2810 | Consumables | Replacement Halogen Vis Lamp For use in the Visible Region Requires no adjustments. For use with U-1800, U-2800, and U-2810 only. Projected service life 1000hrs. Guaranteed lifetime 6 months after delivery. |
| 130-0622LS | 50 uL Quartz Cell | \$580.00 | U-1800,U-1900,U-2800,U-2810,U-2900,U-2910,U-3010,U-3310, U-3900,U-3900H, U-4100L | Accessories | 50ul Micro Quartz Cell *Path Length 10mm *Micro Cell Holder (PN 119-0067) required for U-1800 *Micro Cell Holder (P/N 3J0-0102) required for model U-1900 *Micro Cell Holder (PN 122-0060) required for Model U-2800/2810, U-2900/2910, U-3010/3310, U-3900/3900H and U-4100L |
| 151-1009 | Tungsten Lamp | \$150.00 | U-4001 | Consumables | Vis Lamp for U-4001 Only |
| 200-1537 | Micro Cell Mask (R)-1.5mm Slit | \$70.00 | U-5100,U-2900,U-2910, U-3010,U-3310, U-3900,U-3900H, U-4100L | Accessories | Micro Cell Mask 1.5 mm Wide Mask used in standard cell holder (210-0454), 5 cell turret (210-2110), reference position of 6-cell holders (AN0-0017, 121-0058) and reference position of sample sippers (121-0300, 121-0301). For use with non-black-walled micro cells in the sample and reference position and to attenuate the reference beam when using self-masking micro cells in the sample position. NOTE: For best results the sample and reference beam should be attenuated equally. Qty 2 Required. |
| 210-2107LS | Rect L.Path Cell Holder | \$440.00 | U-2900,U-2910, 3010,U-3310, U-3900,U-3900H, U-4100L | Accessories | Rectangular Long-Path Cell Holder Non-thermostatted cell holder which replaces the standard cell compartment. Accommodates rectangular long-path cells with path-lengths of 10, 20, 30, 40, 50 and 100mm in the sample and reference positions. NOTE: Requires two cells of the same path-length. Can be used on U-4100 Liquid Sample Measurement System. Compatible with models U-2900,U-2910, 3010,U-3310, U-3900,U-3900H, U-4100L |

| Part Number | Short Description | List Price | Instrument Model | Product Type | Long Description |
|-------------|--|------------|--|--------------|--|
| 210-2111 | Thermostatted Cell Holder | \$590.00 | U-1900, U-2900, U-2910, 3010, U-3310, U-3900, U-3900H, U-4100L | Accessories | Thermostatted Cell Holder. Compatible with models U-1900, U-2900, U-2910, 3010, U-3310, U-3900, U-3900H, U-4100L *Water-jacketed sample compartment which replaces the standard sample compartment. *Accommodates 10mm square cells. *Temperature range of ambient to 40° C ±0.3° C. NOTE: A heated water circulator AN0-9259 and tubing kit AN0-9333 required. Can be used with the U-4100 Liquid Sample Measurement System. |
| 250-0346 | Thermo.Cell Holder w/Stirring | \$1,560.00 | F-2700, F-4500, F-7000 | Accessories | Thermostatted Single Cell Holder with Stirring for F-2700 (LC and PC), F-4500, F-7000 Water-jacketed square cell holder with stirrer rotation speed continuously variable from 500-1200 rpm. Includes a dry air port for cell defogging when working below ambient temperatures. Accommodates a 10 mm square cell and replaces the standard sample compartment. Also includes 4 stirring bars for the standard quartz cell and 2 stirring bars for the microcell. Temperature range of 5-60°C. This cell holder is included with the intracellular cation accessory (250-0391). NOTE1: Circulating water bath required but not included. NOTE2: With this accessory, the minimum volume inside a standard quartz cell with Hitachi stirring bar is 1.5 mL and without stirring bar is 2.4 mL. The minimum volume in a microcell is 0.2 with stirring bar and 0.4 mL without stirring bar. |
| 250-1543 | Stirring element for microcell | \$60.00 | F-2000, F-2500, F-2700, F-4500, F-7000 | Consumables | Replacement Stirring Bar for microcells used in models F-2000, F-2500, F-2700, F-4500, F-7000 |
| 251-0130 | Micro Sample Assy. F-2000/2500 | \$1,200.00 | F-2000, F-2500 | Accessories | Micro Sampling Accessory Injection port sample compartment cover which replaces the standard sample compartment cover. Used for injecting reagents into a sample while stirring. Included in the intracellular cation accessory (251-0030). NOTE: A Hamilton syringe (700 series), length 52 mm and OD of 1 mm is required. Compatible with models F-2000, F-2500 |
| 210-0171 | 22mm Cylindrical Longpath Cell Holder | \$620.00 | U-2900, U-2910, U-3010, U-3310, U-3900, U-3900H, U-4100L | Accessories | Cylindrical Long Path Cell Holder for using 22-mm cylindrical long path cells of up to 100-mm path length. Compatible with U-2900 series, U-3000 series, U-3900 series and U-4100 Liquid Measuring System. |
| 2J1-0310 | UV Solution Program Ver 2.2 for Win XP | \$520.00 | U-1900, U-2900, U-2910, U-3010, U-3310, U-4100 | Main Units | UV Solutions Software Version 2.2 Software capabilities include wavelength scan, time scan, quantitative analysis and data processing. Compatible with Excel 2003. Requires Windows XP Professional SP2. For models U-1900, U-2900, U-2910, U-3010, U-3310 and U-4100. |
| 2J1-1500 | Deuterium Lamp U1900/29XX/U-39XX | \$460.00 | U-1900, U-2900, U-2910, U-3900, U-3900H | Consumables | Replacement Deuterium lamp for use with U-1800, U-2800, U-2810, U-1900 / U-2900 / U-2910 / U-3900 / U-3900H. (Can be used as replacement for lamp p/n 122-2300.) Guaranteed lifetime 350 hrs or 6 months after delivery. |

| Part Number | Short Description | List Price | Instrument Model | Product Type | Long Description |
|-------------|--|------------|---|--------------|---|
| 5J0-0139 | F-7000 Microplate Reader Assy. | \$7,200.00 | F-7000 | Accessories | Microplate Reader Accessory for F-7000 Allows automatic measuring of samples in 96 well microplates in the full wavelength range of the instrument and of samples placed in standard cuvettes in the standard cell holder without removing the MPR accessory. *Measuring speed 96 wells in 60 seconds *Sample volume 300uL per well *Detection sensitivity: Fluorescein. 5 X 10 ⁻¹¹ mol/L *Thermostatable by water circulation: Temperature range 5 to 60°C |
| 638-1423 | Drain Valve Filter | \$25.00 | L-6000/A,L-6200/A,L-6250,L-7100,L-7110,L-7150,L-2100,L-2130,L-2160U,L-8800,L-8800A,L-8900 | Consumables | Stainless Steel Filter for Drain Valve |
| 650-0116 | Micro Cell | \$760.00 | F-2000,F-2500,F-2700, F-4500,F-7000 | Consumables | Microcell Quartz for F-2000, F-2500, F-2700, F-4500 and F-7000 10 mm square OD and 5 mm square ID x 45 mm high, 4 sides polished. (Included as standard with Intracellular Cation Accessory (251-0030). NOTE: Minimum volume in microcell is 0.2 mL with standard cell holder. |
| 650-0155 | Man. UV/Vis Polarization Accy | \$3,250.00 | F-2500, F-2700, F-4500, F-7000 | Accessories | Manual UV/VIS Polarization Accessory for F-2000, F-2500, F-2700 (LC and PC), F-4500, and F-7000 Includes a holder and 2 film or sheet polarizers. - Manual rotation control between 0 and 90 degrees - Wavelength range 260-700 nm with 30%T at 260 nm. The holder also has a position for glass filters and is mounted on the base of the standard sample compartment. |
| 650-0161 | Solid Sample Holder | \$620.00 | F-2500, F-2700, F-4500, F-7000 | Accessories | Solid Sample Holder for F-2000, F-2500, F-2700 (LC and PC), F-4500 and F-7000 For measuring solid samples up to 30 mm thick such as plastic, paper, cloth, thin films, fibers, powders and highly concentrated solutions in a cuvette. Front surface geometry is used with the excitation light beam incident to the sample at a 30 degree angle. This geometry eliminates the entrance of excitation reflected light into the detector. Includes one non-thermostatted powder holder which is mounted on the base of the standard sample compartment. NOTE: Attenuator screens are recommended when using the solid sample accessory. Solids are often very fluorescent and a screen may be necessary to reduce the excitation energy. |
| 655-1080 | L-2130 Plunger Seal | \$54.00 | L-7130,L-2130, | Consumables | Replacement Pump Seals for L-2130/7100 |
| 655-1395 | Solvent Inlet Filter - Stainless Steel | \$64.00 | LaChrom Elite,LaChromUltra | Consumables | Solvent Filter for inlet mobile phase filtration on all Hitachi model pumps |
| 7A0-1241 | U-0080D D2 Lamp | \$495.00 | U-0080D | Consumables | D2 Lamp for U-0080D. Guaranteed lifetime 1000 hrs or 6 months. |
| 7A0-1324 | U-0080D Tungsten Lamp | \$90.00 | U-0080D | Consumables | WI Lamp for U-0080D. Guaranteed lifetime 1000 hrs or 6 months. |
| 7A0-1610 | 10 Micro-Liter Cell | \$420.00 | U-0080D | Accessories | 10 microliter cell (5 mm pathlength) for U-0080D |
| 7A0-1620 | 20 Micro-Liter Cell | \$420.00 | U-0080D | Accessories | 20 microliter cell (10 mm pathlength) for U-0080D |
| 810-1008 | L-7100 Plunger Guide | \$90.00 | L-7100 | Service | L-7100 Plunger Guide |
| 810-1031 | Drain Valve Filter Housing | \$125.00 | L-7100, L-7130,L-2100,L-2130, | Consumables | Drain Valve Filter Assy |
| 810-1128 | Drain Valve Packing | \$15.00 | L-7100,L-7110,L-7150,L-2100,L-2130 | Service | Purge Valve Seal Packing |

| Part Number | Short Description | List Price | Instrument Model | Product Type | Long Description |
|-------------|--|------------|--|--------------|--|
| 810-1336 | L-2130/L-2100 4-Way LPG Joint | \$340.00 | L-7100 | Service | 4-way Joint for L-7100 |
| 810-3030 | L-7200/L-7250 Injection Needle | \$56.00 | L-7250,L-7200 | Consumables | Standard Replacement Needle |
| 810-3095 | L-7200/L-7250 Dilutor Valve Seal | \$125.00 | L-7250,L-7200 | Consumables | Dilutor Valve Seal |
| 810-3097 | L-7200/L-7250 Dilutor Valve Stator | \$405.00 | L-7200,L-7250 | Consumables | Dilutor Valve Stator |
| 810-3123 | L-7200/L-7250 Spring Support | \$24.00 | AS-2000,AS-4000,L-7200,L-7250,L-8800,L-8800A | Consumables | Spring Support for Dilutor Valve Rotor Seal |
| 855-3523 | AAA Ammonia Column - Standard | \$1,590.00 | l-8800ph,l-8800pf, | Consumables | Standard Ammonia Column |
| 855-3524 | AAA Ammonia Column - High Resolution | \$1,690.00 | L-8800PH, l-8800pf, | Consumables | High Resolution Ammonia Column |
| 855-4074 | Solvent Inlet Filter - PTFE | \$21.00 | L-2200 | Consumables | PTFE Solvent Inlet Filter for L-2200 and L-2200U |
| 855-4506 | AAA PH Column - Standard | \$3,190.00 | L-8800PH,L-8900PH | Consumables | PH Standard Analysis Column |
| 855-4508 | AAA PH Column - High Resolution | \$4,290.00 | L-8800PH, L-8900PH | Consumables | PH Hi Resolution Column |
| 855-4509 | AAA PF Column - High Resolution | \$4,290.00 | L-8800PF,L-8900PF | Consumables | PF Hi Resolution Column |
| 855-4514 | AAA PH Column - High Speed | \$3,190.00 | L-8800PH, L-8900PH | Consumables | PH Hi Speed Column |
| 855-4515 | AAA PF Column - High Speed | \$3,690.00 | L-8800PF,L-8900PF | Consumables | PF Hi Speed Column |
| 855-4516 | AAA PH Column - Special Analysis | \$3,190.00 | L-8800PH,L-8900PH | Consumables | PH Special Analysis Column 2620 MSC **Used for the separation of nor-leucine** |
| 855-5268 | AAA Guard Column Assy. | \$1,500.00 | L-8800PH,L-8800PF,L-8900 | Consumables | Guard column housing and one (1) guard column cartridge for L-8800/L-8900. * Includes all necessary tools, tubing and fittings. |
| 855-5270 | AAA Guard Column Cartridge (5-pack) | \$1,500.00 | L-8800PH,L-8800PF,L-8900 | Consumables | Guard column cartridge for L-8800/L-8900. Contains five (5) pieces. * Requires guard column housing from 855-5268. |
| 885-1200AS | Tungsten Lamp | \$90.00 | U-1900,U-2900,U-2910,U-3010,U-3310,U-4100,U-3900,U-3900H | Consumables | Replacement Tungsten Iodine Lamp for U-1900, U-2900/2910, U-3010/3310, U-3900/3900H, U-4100. Guaranteed lifetime 1000 hrs or 6 months after delivery. |
| 885-1505 | L-2130/L-2100 4-Way LPG Joint Seal | \$6.00 | L-7100, L-7130,L-2100,L-2130, | Service | Small Black Washer used to seal three way gradient-forming fitting to inlet check valve in low pressure gradient system. |
| 885-2920 | Drain Valve Seal | \$19.00 | L-7100, L-7130,L-2100,L-2130, | Consumables | White Fluoropolymer Seal. Requires replacement if solvent or buffer continues to flow down the drain tube when the drain valve is closed. |
| 885-3450 | L-2490 Halogen Tungsten Lamp | \$129.00 | L-7490,L-2490 | Consumables | Light Source Lamp for L-2490/L-7490. |
| 890-0272 | L-2350 Manual Injector Holder | \$510.00 | l-2350LaChrom Elite, L-2350LaChromUltra | Accessories | Manual Injector Valve Holder for L-2350 * Used for installing the 7725i manual injector valve into the L-2350 column oven |
| 890-0281 | Micro LC Accessory For L-2400 | \$3,800.00 | L-2400, L-2420 | Accessories | Micro LC Accessory For L-2400/L-2420 Includes: (1) 890-3461 Micro pipe set (1) 890-0506 Micro flow cell accessory |
| 890-0500 | "Standard Flow Cell Accessory (L-2400/L-2420) 10mm | \$1,300.00 | L-2400, L-2420, L-2400U, L-2420U | Accessories | Standard Conventional HPLC Flow Cell Assembly for L-2400/L-2400U/L-2420/L-2420U * Optical pathlength 10mm * Internal Volume 13ul * Replacement Flow Cell Only, 890-2130 |
| 890-0502 | L-2400/L-2420 Prep Flow Cell Assembly | \$1,400.00 | L-2400, L-2420 | Accessories | Prep Flow Cell Assembly L-2400/2420 * Optical pathlength 2mm * Internal volume 2.6uL |

| Part Number | Short Description | List Price | Instrument Model | Product Type | Long Description |
|-------------|---|------------|-----------------------------|--------------|--|
| 890-0504 | L-2400/L-2420 Semi-Micro Flow Cell Assy | \$1,300.00 | L-2400, L-2420 | Accessories | Semi-Micro Flow Cell Assembly L-2400/2420 * Optical pathlength 5mm * Internal volume 3.2uL |
| 890-0505 | High Press. Semi Micro Flow Cell Assy | \$2,600.00 | L-2400, L-2420 | Accessories | High-Pressure Semi-Micro Flow Cell Assembly L-2400/2420 * Optical pathlength 5mm * Internal volume 3.2uL |
| 890-0552 | "Semi-Prep Flow Cell Assy L-2450 (2mm | \$1,950.00 | L-2450, L-2455U | Accessories | Prep Flow Cell Assembly L-2450/L-2455 * Optical pathlength 2mm * Internal volume 2.6uL |
| 890-0554 | L-2455 Semi-Micro Flow Cell Assembly | \$1,880.00 | L-2450, L-2455 | Accessories | Semi-Micro Flow Cell Assembly L-2450/L-2455 * Optical pathlength 5mm * Internal volume 3.2uL |
| 890-0556 | L-2455 Micro Flow Cell Assembly | \$3,700.00 | L-2450, L-2455 | Accessories | Micro Flow Cell Assembly L-2450/L-2455 * Optical pathlength 5mm * Internal volume 0.9uL |
| 890-0570 | L-2455 Standard Flow Cell Assembly | \$1,550.00 | L-2450, L-2455 | Accessories | Standard Flow Cell Assembly L-2450/L-2455 * Optical pathlength 10mm * Internal Volume 13uL * Replacement Flow Cell Only, 890-2130 |
| 890-0572 | L-2485 Standard Flow Cell Assembly | \$2,850.00 | L-2485, L-2485U | Accessories | Standard Conventional HPLC Flow Cell Assembly for L-2485/L-2485U *Internal Volume 12 uL |
| 890-0701 | L-2000 USB-IF BOARD | \$395.00 | LaChrom Elite, LaChromUltra | Accessories | USB Interface Board * Allows instrument control and data transfer between PC and a LaChrom Elite/LaChromUltra component |
| 890-0710 | L-2100/2130 UI Pad Kit | \$420.00 | L-2100, L-2130 | Accessories | UI Pad for L-2100/L-2130 Pump * Includes UI pad, pad template, and pump door. |
| 890-0720 | L-2200 UI Pad Kit | \$420.00 | L-2200 | Accessories | UI Pad for L-2200 Autosampler * Includes UI pad, pad template, and autosampler door. |
| 890-0730 | L-2300 UI Pad Kit | \$420.00 | L-2300, L-2350 | Accessories | UI Pad for L-2300/L-2350 Column Ovens * Includes one (1) set of UI pad, pad template, and oven door. |
| 890-0735 | L-2350 UI Pad | \$420.00 | | Accessories | |
| 890-0740 | L-2400 UI Pad Kit | \$420.00 | L-2400, L-2420 | Accessories | UI Pad for L-2400/L-2420 Detector * Includes UI pad, pad template, and detector door. |
| 890-0780 | L-2485 UI Pad | \$420.00 | L-2480,L-2485 | Accessories | UI Pad for L-2480/2485 Fluorescence Detector *Includes UI pad, pad template, and detector door. |
| 890-0871 | 100W AC Adapter | \$210.00 | LaChrom Elite,LaChromUltra | Accessories | 100 Watt AC Adapter for L-2400/L-2420/L-2450/L-2455 |
| 890-0891 | 50 W AC Adapter | \$130.00 | LaChrom Elite,LaChromUltra | Accessories | 50 Watt AC Adapter for L-2100/L-2130/L-2200 |
| 890-1126 | L-2130 Plunger Guide | \$100.00 | L-2130 | Service | Plunger Guide for L-2130 Pump |
| 890-1292 | L-2100/L-2130 Manual Injector Holder | \$470.00 | LaChrom, LaChrom Elite | Accessories | Manual Injector Valve Holder for LaChrom Elite * Connects to L-2100 or L-2130 pump * Includes e-DIO Cable |
| 890-1588 | Semi Micro Pump Plunger Seal for L-2100 | \$74.00 | L-2100 | Consumables | Semi Micro Pump Plunger Seal for L-2100 |
| 890-2008 | Hg Lamp Unit | \$219.00 | L-2400, L-2420 | Consumables | HG Lamp Unit for L-2400/L-2420 Detector |
| 890-2130 | L-2400 Standard Flow Cell | \$500.00 | L-2400, L-2420 | Consumables | Standard Flow Cell for L-2400/2420 (Does Not Include Detector) |
| 890-2237 | "Hg (Mercury) Lamp Unit | \$159.00 | L-2450,L-2455 | Consumables | HG Lamp Unit for L-2450/L-2455 |
| 890-2394 | L-2450 Flow Cell | \$590.00 | L-2450,L-2455 | Consumables | Standard Flow Cell for L-2450/L-2455 (Does Not Include Detector) |

| Part Number | Short Description | List Price | Instrument Model | Product Type | Long Description |
|-------------|---------------------------------------|------------|--|--------------|---|
| 890-2430 | HPLC Deuterium Lamp | \$495.00 | L-7400,L-7420,L-7450,L-7485,L-2400, L-2420,L-2450,L-2455 | Consumables | High Output Deuterium Lamp |
| 890-2527 | L-2000/L-2000U Halogen Tungsten Lamp | \$75.00 | L-2420, L-2450,L-2455 | Consumables | Halogen (W) Lamp for L-2420/L-2450/L-2455 |
| 890-3176 | L-2200 Needle Sleeve | \$15.00 | L-2200 | Service | Injection Needle Sleeve for L-2200 Autosampler |
| 890-3183 | L-2200 Injection Port Seal | \$35.00 | L-2200 | Consumables | Injection Port Seal (Peak) for L-2200 Autosampler |
| 890-3233 | L-2200 Syringe Valve Stator | \$375.00 | L-2200, L-2200U | Consumables | L-2200 Syringe Valve Stator |
| 890-3234 | L-2200 Syringe Valve Seal | \$95.00 | L-2200, L-2200U | Consumables | L-2200 Syringe Valve Seal |
| 890-3237 | L-2200 Injection Valve Stator | \$419.00 | L-2200 | Consumables | L-2200 Injection Valve Stator |
| 890-3243 | L-2200 Injection Valve Seal | \$95.00 | L-2200 | Consumables | L-2200 Injection Valve Seal |
| 890-3253 | L-2200 Injection Needle | \$159.00 | L-2200 | Consumables | Injection Needle for L-2200 Autosampler |
| 890-3462 | L-2200 Tube-Needle To Inj. Vlv | \$80.00 | L-2200 | Service | L-2200 Injection System Tubing -- Needle to Injection Valve |
| 890-3501 | L-2200 Cooling Rack 200x1.5mL | \$775.00 | L-2200, L-2200U | Accessories | L-2200 Peltier Standard Rack * Rack capacity is 200 each, 1.5 mL vials |
| 890-3502 | L-2200 Cooling Rack Microtitre Plates | \$1,500.00 | L-2200, L-2200U, NanoLC | Accessories | L-2200 Peltier Rack for Microtitre Plates * Includes deep well. |
| 890-3504 | L-2200 128x4mL Rack Cooler | \$1,500.00 | L-2200, L-2200U | Accessories | L-2200 Peltier Rack for 4 mL Vials * Rack capacity is 128 vials |
| 890-3505 | L-2200 Cooling Rack 336x1mL | \$1,600.00 | L-2200, L-2200U | Accessories | L-2200 Peltier Rack for 1 mL Vials * Rack capacity is 336 vials |
| 890-3511 | L-2200 500uL Syringe Kit | \$850.00 | L-2200 | Accessories | L-2200 Autosampler 0.5 mL syringe kit Includes: (1) Syringe (1) Sample loop 0.8 mm ID x 0.8 m (0.4 mL) connects needle to inject valve. (1) Connecting coil 0.8 mm x 1.0 m (0.5 mL) connects inject valve to syringe valve. |
| 890-3512 | L-2200 1.0mL Syringe Kit | \$850.00 | L-2200 | Accessories | L-2200 Autosampler 1.0 mL syringe kit Includes: (1) Syringe (1) Sample loop 1.0 mm ID x 1.2 m (0.9 mL) connects needle to inject valve. (1) Connecting coil 1.0 mm x 1.3 m (1.0 mL) connects inject valve to syringe valve. |
| 890-3513 | L-2200 2.5mL Syringe Kit | \$850.00 | L-2200 | Accessories | L-2200 Autosampler 2.5 mL syringe kit Includes: (1) Syringe (1) Sample loop 1.0 mm ID x 3.1 m (2.4 mL) connects needle to inject valve. (1) Connecting coil 1.0 mm x 3.2 m (2.5 mL) connects inject valve to syringe valve. |

| Part Number | Short Description | List Price | Instrument Model | Product Type | Long Description |
|-------------|--------------------------------------|------------|---|--------------|---|
| 890-3514 | L-2200 5.0mL Syringe Kit | \$850.00 | L-2200 | Accessories | L-2200 Autosampler 5 mL syringe kit Includes: (1) Syringe (1) Sample loop 1.0 mm ID x 6.4 m (5 mL) connects needle to inject valve. (1) Connecting coil 1.0 mm x 6.4 m (5 mL) connects inject valve to syringe valve. |
| 890-3522 | L-2200 Rack Microtiter Plates | \$1,125.00 | L-2200, L-2200U | Accessories | L-2200 Rack for Microtiter Plates * Rack capacity is three micro titer plates, low profile only |
| 890-3524 | L-2200 128X4 Rack | \$1,200.00 | L-2200, L-2200U | Accessories | L-2200 Rack for 4 mL Vials * Rack capacity is 128 vials |
| 890-3525 | L-2200 336X1mL Rack | \$1,300.00 | L-2200, L-2200U | Accessories | L-2200 Rack for 1 mL Vials * Rack capacity is 336 vials |
| 890-3584 | L-2200 Rack 200x1.5mL | \$65.00 | L-2200, L-2200U | Accessories | L-2200 Standard Rack for 1.5 mL vials * Rack capacity is 200 vials |
| 891-5000 | LaChromUltra C18 2um 2.0 x 50 mm | \$625.00 | LaChromUltra | Consumables | Hitachi C18 ODS Column 2um 2.0x50mm for U-HPLC |
| 891-5001 | LaChromUltra C18 2um 2.0 x 75 mm | \$625.00 | LaChromUltra | Consumables | Hitachi C18 ODS Column 2um 2.0x75mm for U-HPLC |
| 891-5002 | LaChromUltra C18 2um 2.0 x 100 mm | \$625.00 | LaChromUltra | Consumables | Hitachi C18 ODS Column 2um 2.0x100mm for U-HPLC |
| 891-5030 | LaChromUltra C18 3um 4.6 x 100 mm | \$450.00 | LaChrom Elite, LaChromUltra | Consumables | Hitachi C18 ODS Column 3um 4.6x100mm |
| 891-5050 | LaChromUltra C18 5um 4.6 x 150 mm | \$490.00 | LaChrom Elite, LaChromUltra | Consumables | Hitachi C18 ODS Column 5um 4.6x150mm |
| AAA-3533 | AAA Reaction Columnn | \$3,000.00 | L-8800PH, L-8800PF | Consumables | Includes one (1) each of reaction column, inlet tubing and outlet tubing for L-8800/L-8900. |
| AN0-0152 | Holmium Oxide Filter w/ Holder | \$310.00 | U-0080D,U-1900, U-2900,U-2910, U-3900,U-3900H, U-4100 | Accessories | Holmium Oxide Glass Filter (uncertified) Mounts in the standard cell holder. Used to check wavelength accuracy. |
| AN0-0424AS | Deuterium Lamp | \$460.00 | U-1500,U-2000,U-2001,U-3000,U-3010,U-3310,U-4100 | Consumables | Deuterium Lamp for models U-1500,U-2000,U-2001,U-3000,U-3010,U-3310,U-4100. Projected service life 350 hrs. Guaranteed lifetime 6 months. |
| AN0-0459 | Model 7725i SS Inj w/Switch | \$990.00 | LaChrom,LaChrom Elite | Main Units | Rheodyne Model 7725I Stainless Steel Injector with Switch |
| AN0-0460 | 2ul Sample Loop (7725i) | \$98.00 | L-7300, LaChrom Elite | Accessories | 2 µL Sample Loop (7725i) |
| AN0-0461 | 5ul Sample Loop (7725i) | \$50.00 | L-7300, LaChrom Elite | Accessories | 5 µL Sample Loop (7725i) |
| AN0-0462 | 10ul Sample Loop (7725i) | \$50.00 | L-7300, LaChrom Elite | Accessories | 10 µL Sample Loop (7725i) |
| AN0-0463 | 20ul Sample Loop (7725i) | \$50.00 | L-7300, LaChrom Elite | Accessories | 20 µL Sample Loop (7725i) |
| AN0-0464 | 50ul Sample Loop (7725i) | \$50.00 | L-7300, LaChrom Elite | Accessories | 50 µL Sample Loop (7725i) |
| AN0-0465 | 100ul Sample Loop (7725i) | \$50.00 | L-7300, LaChrom Elite | Accessories | 100 µL Sample Loop (7725i) |
| AN0-0466 | Sample Loop 500uL (7725i) | \$60.00 | L-7300, LaChrom Elite | Accessories | 500 µL Sample Loop (7725i) |
| AN0-0467 | Sample Loop 200uL (7725i) | \$50.00 | L-7300, LaChrom Elite | Accessories | 200 µL Sample Loop (7725i) |
| AN0-0468 | 1 mL Sample Loop (7725i) | \$75.00 | L-7300, LaChrom Elite | Accessories | 1 mL Sample Loop (7725i) |
| AN0-0469 | "Sample Loop (7725i) | \$100.00 | L-7300, LaChrom Elite | Accessories | 2 mL Sample Loop (7725i) |
| AN0-0470 | 5mL Sample Loop (7725i) | \$175.00 | L-7300, LaChrom Elite | Accessories | 5 mL Sample Loop (7725i) |
| AN0-0833 | Replacement Inlet Check Valve | \$250.00 | L-6000,655,L-6000,L-6200,L-6200A | Consumables | Cartridge Style Inlet Check Valve |
| AN0-0834 | Replacement Outlet Check Valve | \$250.00 | L-2100,L-2130 | Consumables | Replacement Outlet Check Valve |
| AN0-0835 | L-2130 Check Valve Cartridges | \$290.00 | L-2130,L-7100,L-7110 | Consumables | Cartridge Style Check Valves, 2 each |
| AN0-0836 | L-2130 Replacement Inlet Check Valve | \$250.00 | L-2130,L-7100,L-7110 | Consumables | L-7100/L-7110 Cartridge Style Inlet Check Valve Can Also be used as Inlet Check Valve Assembly for L-2130 |

| Part Number | Short Description | List Price | Instrument Model | Product Type | Long Description |
|-------------|---------------------------------------|------------|--|--------------|--|
| ANO-0837 | L-2130 Replacement Outlet Check Valve | \$250.00 | L-7100, L-2130 | Consumables | L-7100/7110 Cartridge Style Outlet Check Valve Can Also be used as Outlet Check valve Assembly for L-2130 |
| ANO-0845 | L-2100 Replacement Outlet Check Valve | \$295.00 | L-2100 | Consumables | Outlet Check Valve with Cartridge, L-2100 |
| ANO-0846 | L-2100 Replacement Inlet Check Valve | \$295.00 | L-2100 | Consumables | Inlet Check Valve with Cartridge, L-2100 |
| ANO-0847 | L-2100 Check Valve Cartridges | \$325.00 | L-2100 | Consumables | Check Valve Inserts (2 pack), L-2100 |
| ANO-1774 | "Solvent Bottle | \$12.00 | LaChrom, LaChrom Elite, LaChromUltra | Accessories | Solvent Bottle, 1 Liter Requires ANO-1775 Solvent Bottle Cap. For LaChrom, LaChrom Elite HPLC, LaChromUltra U-HPLC series HPLC systems. |
| ANO-1775 | Solvent Bottle Cap | \$16.00 | LaChrom, LaChrom Elite, LaChromUltra | Accessories | Cap for HPLC Solvent Bottle ANO-1774 |
| ANO-1801 | 10mm Std Volume Quartz Cells (pair) | \$280.00 | U-0080D, U-1900, U-5100, U-2900, U-2910, U-3010, U-3310, U-3900, U-3900H, U-4100 | Accessories | Pair of 10 mm Quartz Cells Total Volume 3.0 mL / minimum Volume 1.5 mL, Qty 2 Cells per package 10 mm Path Length |
| ANO-1804 | Quartz Fluorescence Cell (One Unit) | \$260.00 | F-2000, F-2500, F-2700, F-4500, F-7000 | Consumables | Quartz Cell, Ultra-High Quality (Qty. 1) 10 mm square x 45 mm high, 4 sides polished, no background fluorescence. NOTE: Minimum volume in quartz cell is 0.6 mL with standard cell holder. |
| ANO-2103 | Cover Slip | \$140.00 | F-2500, F-4500, F-7000 | Consumables | Replacement Coverslips for ANO-2100 coverslip accessory. 200/pkg. |
| ANO-2104 | Stir bar for cover slip accessory | \$15.00 | F-2500, F-4500, F-7000 | Consumables | Replacement Stir Bar for Coverslip Accessory ANO-2100 |
| ANO-2106 | Replacement Cover Slip Holder | \$380.00 | F-2000, F-2500, F-4500, F-7000 | Consumables | Replacement Coverslip Holder for coverslip accessory ANO-2100 |
| ANO-2312 | "Clear HPLC Vials | \$79.00 | L-2200, AS-4000, L-8800PH, L-8800PF, L-2200U | Consumables | Clear 1.5 mL HPLC vials, caps and pre-slit PTFE/silicon septa (100 each/pack) for all Hitachi HPLC and AAA autosamplers. |
| ANO-2313 | 300 uL Glass Inserts | \$85.00 | L-2200, AS-4000, L-8800PH, L-8800PF, L-2200U | Consumables | 300 µL (Glass) Inserts with Polyspring for Snap-It vials (100/pack) |
| ANO-2314 | Target Polyspring Inserts(100) | \$40.00 | AS-2000, L-8800PH, L-8800PF | Consumables | 200 µL (Plastic) Inserts for Snap-It Vials (Polyspring Inserts, 100/pack). |
| ANO-2317 | "Vial | \$60.00 | AS, L-8800PH, L-8800PF | Consumables | Amber 1.5 mL Vials, Caps and PTFE/Red Rubber Septa (100 each/pk) |
| ANO-2318 | "Vial | \$50.00 | AS, L-8800PH, L-8800PF | Consumables | Clear 1.5 mL Vials, Caps and PTFE/Red Rubber Septa (100 each/pk) |
| ANO-2327 | Vial PTFE Silicon Septa | \$95.00 | AS, L-8800PF, L-8800PH | Consumables | Clear, wide-mouth Vial, Caps and PTFE/silicon Septa (100 each/pk - inserts ANO-2313 and ANO-2314 can be used with these vials) |
| ANO-2328 | L-2130/L-2160U Pump Plunger | \$75.00 | L-2130, L-2160U, LaChrom Elite, LaChromUltra | Consumables | Pump Plunger |
| ANO-2401 | RS232 Null Cable (9p-9p) | \$25.00 | U-1800, U-1900, U-2800, U-2900, U-2810, U-2910, F-2500, U-4100 | Main Units | RS232C Interface cable 9 to 9 pin (null modem) |
| ANO-3230 | 500uL Autosampler Syringe | \$125.00 | AS-2000, L-2200S, L-2200C | Consumables | 500 µL Syringe |
| ANO-8706 | AAA PH-1 Buffer | \$70.00 | L-8800PH | Consumables | PH-1 Buffer (approx. 95 samples - std col/135 samples - special col) |
| ANO-8707 | AAA PH-2 Buffer | \$70.00 | L-8800PH | Consumables | PH-2 Buffer (approx. 780 samples - std col/160 samples - special col) |
| ANO-8708 | AAA PH-3 Buffer | \$70.00 | L-8800PH | Consumables | PH-3 Buffer (approx. 320 samples - std col/1000+ samples - special col) |
| ANO-8709 | AAA PH-4 Buffer | \$70.00 | L-8800PH | Consumables | PH-4 Buffer (approx. 125 samples - std col/125 samples - special col) |
| ANO-8710 | AAA PH-5 Buffer | \$70.00 | L-8800PH | Consumables | PH-RG Buffer (approx. 830 samples - std col/825 samples - special col) |
| ANO-8711 | AAA PF-1 Buffer | \$70.00 | L-8800PF | Consumables | AAA PHYSIOLOGICAL FLUIDS BUFFER (PF-1) |
| ANO-8712 | AAA PF-2 Buffer | \$70.00 | L-8800PF | Consumables | AAA PHYSIOLOGICAL FLUIDS BUFFER (PF-2) |
| ANO-8713 | AAA PF-3 Buffer | \$70.00 | L-8800PF | Consumables | AAA PHYSIOLOGICAL FLUIDS BUFFER (PF-3) |
| ANO-8714 | AAA PF-4 Buffer | \$70.00 | L-8800PF | Consumables | AAA PHYSIOLOGICAL FLUIDS BUFFER (PF-4) |
| ANO-8715 | AAA PF-5 Buffer | \$70.00 | L-8800PF | Consumables | AAA PHYSIOLOGICAL FLUIDS BUFFER (PF-5) |

| Part Number | Short Description | List Price | Instrument Model | Product Type | Long Description |
|-------------|--------------------------------------|------------|--------------------------------|--------------|--|
| ANO-8851 | Ninhydrin Reagent Kit | \$520.00 | L-8800PH,L-8800PF | Consumables | Ninhydrin Reagent Kit, 2-pack (approx. 220 PH samples - std col/210 samples - special col; 70 PF samples) |
| ANO-9256 | AAA Guard Column Cartridge (1-pack) | \$330.00 | L-8800PH,L-8800PF,L-8900 | Consumables | Guard column cartridge for L-8800/L-8900. Contains one (1) piece. * Requires guard column housing from 855-5268. |
| LCE-0510 | Data Output Opt For L-2400/2420/2480 | \$1,150.00 | L-2400, L-2420, L-2480, L-2485 | Accessories | Data Output Option for L-2400/2420/2480/2485 * Mounts internally for output of analog signals Includes: (1) 890-0932 Analog Output Board for L-2400/2420/2480/2485 (2) ANO-0363 Cable, Green-to-Ring (1) 890-6145 e-DIO Cable |
| LCE-0560 | Data Output Option For L-2450/2455 | \$1,350.00 | L-2450,L-2455 | Accessories | Data Output Option for L-2450/L-2455 * Mounts internally for output of analog signals Includes: (1) 890-0560 Analog Output Board for L-2450/L-2455 (2) ANO-0363 Green-to-ring Cable (1) 890-6145 e-DIO Cable |
| LCE-7725 | Manual Injection System | \$1,450.00 | LaChrom Elite | Main Units | Manual Injection System (1) ANO-0459 Rheodyne 7725I Stainless Steel Injector with Switch (1) 890-1292 Manual Injection Valve Holder for LaChrom Elite |
| MKT-0015 | Vials (1.5ml) Caps/Septa (100ea) | \$65.00 | AS-2000,L-8800PH, L-8800PF | Consumables | Standard 1.5 mL Vials (12 x 32 mm), Caps and Septa. Includes 100 each Vials, Screw Caps and Pre-scored Septa. |
| MKT-0030 | Thermal Paper For Seiko Printer | \$30.00 | U-1900,U-2900, U-5100,F-2700 | Consumables | Thermal Paper for Seiko Printer (contains 5 rolls) |
| MKT-8805 | AAA PF Starter Kit | \$1,200.00 | L-8800PF | Consumables | AAA PF Starter Kit Includes buffers to run approx 150 samples. (7) ANO-8711 PF-1 BUFFER (4) ANO-8712 PF-2 BUFFER (2) ANO-8713 PF-3 BUFFER (3) ANO-8714 PF-4 BUFFER (2) ANO-8715 PF-5 BUFFER |
| MKT-8806 | AAA PH Starter Kit | \$1,200.00 | L-8800PH | Consumables | AAA PH Starter Kit Includes buffers to run approx 600 samples. (7) ANO-8706 PH-1 BUFFER (2) ANO-8707 PH-2 BUFFER (2) ANO-8708 PH-3 BUFFER (5) ANO-8709 PH-4 BUFFER (2) ANO-8710 PH-5 BUFFER |
| MKT-8842 | AAA PH Calibration Standard | \$175.00 | L-8800PH | Consumables | Sigma-Aldrich calibration standard mixture for protein hydrolysates for L-8800/L-8900. * Includes one (1) of Sigma p/n AA-S-18. |
| MKT-8843 | AAA PF Calibration Standard | \$260.00 | L-8800PF | Consumables | Sigma-Aldrich calibration standard mixture for physiological fluids for L-8800/L-8900. Includes one (1) of Sigma p/n A6407 (Acids & Neutrals, 5 mL) and one (1) of Sigma p/n A6282 (Basics, 5 mL). |